

Manufactured by: **Backyard Discovery** 3305 Airport Drive, Pittsburg, KS 66762 800-856-4445


Basepoint Business Centre: Rivermead Drive, Westlea, Swindon SN5 7EX Phone: 0800-118-2476 J.P. Coenstraat 7, The Bridge, The Hague, 2595 WP, Netherlands Phone: 08005678990

20x12 Barrington Gazebo

MODEL #: 2306172



Cancer and Reproductive Harm www.P65Warnings.ca.gov



Please visit www.backyarddiscovery.com

For the most up to date assembly manual, to register your product, or to order replacement parts Para obtener instrucciones en español, visite www.backyarddiscovery.com



EASY STEP-BY-STEP 3D INTERACTIVE INSTRUCTIONS







AVAILABLE!


OWNER'S MANUAL - BASIC SETUP DIMENSIONS & ASSEMBLY NOTES

It is critically important that you start with square and level footings, concrete pad or deck to attach your structure


- Pay close attention to the items needed for each step. Make sure you are using the correct hardware for each step. Using incorrect hardware may result in improper assembly
- Remember to double check for underground utilities and overhead electrical lines

Post mounts are provided with your structure which allows you to permanently install your structure to a pre-existing or new wood or concrete surface. See Anchor Instructions for further details and recommendations.


- The hardware to attach the post mounts to the structure is included.
- The hardware to mount the structure permanently to a concrete surface is included.
- The hardware to mount the structure permanently to a wood deck is NOT included and will need to be purchased separately. You must ensure there is ample structural support under the deck before permanently attaching.





OWNER'S MANUAL - ANCHORING LAYOUT





WOOD COMPONENTS (NOT TO SCALE) D01 BEAM - W4L17514 1 7/16"x5 1/4"x45 3/16" (36x134x1148) 0 0 D02 BEAM - W4L17515 1 7/16"x5 1/4"x45 1/4" (36x134x1150) (x2)D03 BEAM - W4L17516 (x4)1 7/16"x5 1/4"x67 13/16" (36x134x1723) D04 BEAM - W4L17517 (x4)1 7/16"x5 1/4"x87 15/16" (36x134x2233) D05 BEAM - W4L17518 1 7/16"x5 1/4"x48 3/16" (36x134x1224) D06 BEAM - W4L17519 1 7/16"x5 1/4"x84 15/16" (36x134x2157) D07 BEAM - W4L17520 (x4)1 7/16"x5 1/4"x27 1/16" (36x134x688) H01 RAFTER - W4L17521 (x4)15/16"x3 3/8"x54 1/8" (24x86x1374) H02 **RAFTER - W4L17522** (x4)15/16"x3 3/8"x39 3/8" (24x86x1000) H03 RIDGE - W4L17523 15/16"x3 3/8"x32 5/16" (24x86x821) (x2)0 0 0 H04 RIDGE - W4L17524 15/16"x3 3/8"x63 11/16" (24x86x1618) (x2)RAFTER - W4L17525 H05 (x2)15/16"x3 3/8"x68 9/16" (24x86x1742) Q01 FASCIA - W4L17526 (x2)15/16"x4 7/16"x65 15/16" (24x112x1675) Q02 FASCIA - W4L17527












HARDWARE COMPONENTS (NOT TO SCALE)



(x1) DRIVER

ACCESSORY COMPONENTS (NOT TO SCALE)



9205413 ELECTRICAL ENCLOSURE (x1)



A4M01185 CORNER BRACKET (x4)




A4M01904 SPLICE PLATE (x2)




A4M01191 PANEL BRACKET (x2)



A4M01193 PANEL BRACKET (x2)



A4M01238 PANEL BRACKET (x2)



A4M01239 PANEL BRACKET (x2)




A4M01793 POST ANCHORING PLATE (x12)



A4M01794 POST PLATE (x12)




A6P00308 6x6 POST FOOT (x6)



A4M01894 MIDDLE POST CLIP ASSEMBLY (x2)



A4M01234 POST CLIP ASSEMBLY (x4)




A4M01902 (x1)







A4M01895 PANEL SUPPORT BRACKET (x2)



ACCESSORY COMPONENTS (NOT TO SCALE)



ACCESSORY COMPONENTS (NOT TO SCALE)



12

(x2)

(x2)

(x2)

PRE-ASSEMBLY STEP 1 - SORTING PARTS

It is critical for ease of assembly that you take the time to sort and organize the wood and hardware.

WOOD PARTS:

- Organize wood parts by the three-digit, alpha-numeric number stamped on each board (ex. P01).
- If there are multiple boards with the same stamped number, stack those pieces together.
- Stamps can be found on the flat surface of the boards or on the end of the boards.
- Allow yourself plenty of room the wood pieces can take up a significant amount of space.

NOTE: CARTONS ARE NOT ORGANIZED BY BOARD NUMBER.




HARDWARE PARTS:

- We recommend that you have a separate table to organize the hardware.
- Hardware bags are printed with a seven-digit, alpha-numeric part number.
- You can organize your hardware by part number or group by hardware type (i.e. bolts, nuts, etc.).
- During assembly you only need to reference the last four digits of the number.



PRE-ASSEMBLY STEP 2 - TOOLS REQUIRED



PRE-ASSEMBLY STEP 3 - CHOOSE YOUR ASSEMBLY METHOD

There are several types of assembly instructions available to you.


- 1. Printed Assembly Manual included with your set
- 2. BILT APP 3D interactive instructions
- 3. Combination of the Printed Manual and BILT APP (Note: Step numbers can differ between the two methods)




STEP 1 - POST ASSEMBLY

		•		_
			0	•
			•	
	P01	POST - W2A03202		
22 001	(x1)	6"x6"x89 1/2" (152x152x2274)		
	•		0	٥
• •			0	۰
	P02	POST - W2A03203	-	•
	(X1)	6"x6"x89 1/2" (152x152x2274)		_
	P03	MIDDLE POST - W2A03711		
	(x1)	6"x6"x89 1/2" (152x152x2274)		
	(/ 1/	O NO NOO 1/2 (102X102X2214)		

QTY	PART NUMBER	DESCRIPTION
12	H100200	SCREW PFH 8x1 1/2 BLK



FOR EASE OF ASSEMBLY, WE RECOMMEND USING SAW HORSES FOR STEPS 1-9.




STEP 2 - 12FT BEAM ASSEMBLY

D	0 р	•		
a	0 0		a	
D02 (x1)	 W4L1751 5 1/4"x45	5 1/4" (36x13	34x1150)	
	• 0	0 0		0
	0 0	0 0		0
D03 (x2)	 N4L17516 1/4"x67 1	3/16" (36x1	34x1723)	

QTY	PART NUMBER	DESCRIPTION
8	H100379	T-NUT 5/16 BLK
8	H100198	WASHER LOCK EXT 8x19
8	H100195	BOLT WH 5/16x2 3/4 BLK

INSERT T-NUTS FIRST




STEP 3-12FT BEAM ASSEMBLY

	QTY	PART NUMBER	DESCRIPTION
	4	H100379	T-NUT 5/16 BLK
[4	H100195	BOLT WH 5/16x2 3/4 BLK
ſ	4	H100198	WASHER LOCK EXT 8x19


D01 BEAM - W4L17514


(x2) 1 7/16"x5 1/4"x45 3/16" (36x134x1148)



STEP 4 - 12FT BEAM ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
12	H100483	SCREW PFH 8x2 1/4 BLK





STEP 5 - 12FT BEAM ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
8	H100379	T-NUT 5/16 BLK
8	H101058	BOLT WH 5/16x8 3/4 BLK
8	H100198	WASHER LOCK EXT 8x19




2 (6)	·	0	
		۰	- 3
	P01 ASSEMBLY		
	P01 ASSEMBLY		0


INSERT T-NUTS FIRST

TIPS:


SAW DUST CAN BE LEFT BEHIND IN BOLT HOLES. IF YOU HAVE TROUBLE WITH BOLTS ENGAGING, USE A LONG SCREWDRIVER TO REMOVE THE DEBRIS.



STEP 6 - 12FT BEAM ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
2	H100405	WASHER LOCK EXT 6x15
2	H100792	LAG SCREW WH 1/4x3 BLK
8	H100379	T-NUT 5/16 BLK
8	H100513	BOLT WH 5/16x4 1/4 BLK
8	H100198	WASHER LOCK EXT 8x19




STEP 7 - 12FT BEAM ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
8	H101058	BOLT WH 5/16x8 3/4 BLK
8	H100198	WASHER LOCK EXT 8x19
8	H100379	T-NUT 5/16 BLK




D07 BEAM - W4L17520


1 7/16"x5 1/4"x27 1/16" (36x134x688) (x2)



STEP 8 - 12FT BEAM ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
2	H100792	LAG SCREW WH 1/4x3 BLK
2	H100405	WASHER LOCK EXT 6x15
4	H100513	BOLT WH 5/16x4 1/4 BLK
4	H100198	WASHER LOCK EXT 8x19
4	H100379	T-NUT 5/16 BLK




SET 12FT ASSEMBLY TO THE SIDE AND REPEAT STEPS 1 THROUGH 8.

NOTE: TWO C01 CORBELS WILL BE USED ON STEP 8 FOR THE OTHER 12FT ASSEMBLY SIDE.


STEP 9 - MIDDLE POST ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
4	H100792	LAG SCREW WH 1/4x3 BLK
4	H100405	WASHER LOCK EXT 6x15
8	H101058	BOLT WH 5/16x8 3/4 BLK
8	H100513	BOLT WH 5/16x4 1/4 BLK
16	H100379	T-NUT 5/16 BLK
16	H100198	WASHER LOCK EXT 8x19




(x4) 1 7/16"x6 7/16"x35 1/8" (36x163x893)



STEP 10 - GAZEBO ASSEMBLY








STEP 11 - GAZEBO ASSEMBLY



QTY	PART NUMBER	DESCRIPTION
4	H100513	BOLT WH 5/16x4 1/4 BLK
4	H100195	BOLT WH 5/16x2 3/4 BLK
8	H100198	WASHER LOCK EXT 8x19
8	H100379	T-NUT 5/16 BLK

INSERT T-NUTS FIRST HAND TIGHTEN HARDWARE ONLY


FOR THIS STEP IT IS HELPFUL TO HAVE THREE ADDITIONAL PEOPLE TO HELP STAND UP ASSEMBLY AND ATTACH HARDWARE.



STEP 12 - GAZEBO ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
8	H100513	BOLT WH 5/16x4 1/4 BLK
8	H100195	BOLT WH 5/16x2 3/4 BLK
16	H100379	T-NUT 5/16 BLK
16	H100198	WASHER LOCK EXT 8x19



STEP 13 - SQUARE THE ASSEMBLY


CRITICAL: SQUARE GAZEBO BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.

MEASUREMENTS TAKEN FROM INSIDE OF POST TO INSIDE OF POST.



STEP 14 - GAZEBO ASSEMBLY


QTYPART NUMBERDESCRIPTION40H100483SCREW PFH 8x2 1/4 BLK



STEP 15 - ROOF SUPPORT ASSEMBLY

	PART NUMBER	DESCRIPTION
16	H100460	LAG SCREW WH 1/4x1 BLK






STEP 16 - ROOF SUPPORT ASSEMBLY

	PART NUMBER	DESCRIPTION
8	H100460	LAG SCREW WH 1/4x1 BLK



A4M01894 MIDDLE POST CLIP ASSEMBLY (x2)



STEP 17 - ROOF SUPPORT ASSEMBLY

QTYPART NUMBERDESCRIPTION28H100382SCREW PFH 8x1 3/4 BLK


H03 RIDGE - W4L17523

(x2) 15/16"x3 3/8"x32 5/16" (24x86x821)




H04 RIDGE - W4L17524


(x2) 15/16"x3 3/8"x63 11/16" (24x86x1618)




STEP 18 - ROOF SUPPORT ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100379	TNUT-5/16" BLK
16	H100385	SCREW PFH 8x1 BLK






STEP 19 - ROOF SUPPORT ASSEMBLY





QTY	PART NUMBER	DESCRIPTION
2	H100403	LAG SCREW WH 1/4x1 1/2 BLK



STEP 20 - ROOF SUPPORT ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100379	TNUT-5/16" BLK
24	H100385	SCREW PFH 8x1 BLK





STEP 21 - ROOF SUPPORT ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100379	TNUT-5/16" BLK
24	H100385	SCREW PFH 8x1 BLK


H02 RAFTER - W4L17522 (x2) 15/16"x3 3/8"x39 3/8" (24x86x1000)



A4M01237 ROOF SUPPORT SPLICE CLIP (x2)


H01 RAFTER - W4L17521

(x2) 15/16"x3 3/8"x54 1/8" (24x86x1374)




STEP 22 - ROOF SUPPORT ASSEMBLY

QTYPART NUMBERDESCRIPTION16H100385SCREW PFH 8x1 BLK




STEP 23A - ROOF SUPPORT ASSEMBLY




TIPS:

REMOVE PROTECTIVE BLUE FILM BEFORE ASSEMBLY

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




STEP 23B - ROOF SUPPORT ASSEMBLY



TIPS:
REMOVE PROTECTIVE FILM BEFORE ASSEMBLY


WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES

LIFT RIDGE PEAK CAP ASSEMBLY FROM THE MIDDLE TO PREVENT FROM BENDING



STEP 24 - SUPPORT ASSEMBLY


TIPS:
THREE ADDITIONAL PEOPLE ARE HELPFUL FOR THIS STEP.
POSITION A PERSON ON A LADDER IN THE CENTER OF THE BASE.
LIFT ROOF SUPPORT UP AND OVER THE 20FT SIDE AND INSERT INTO CORNER POST CLIPS.



STEP 25 - ROOF SUPPORT ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
12	H100385	SCREW PFH 8x1 BLK

REPEAT ON ALL FOUR CORNER POSTS




STEP 26 - ROOF SUPPORT ASSEMBLY


QTYPART NUMBERDESCRIPTION4H100379TNUT-5/16" BLK


H05 RAFTER - W4L17525 (x2) 15/16"x3 3/8"x68 9/16" (24x86x1742)

REPEAT THIS STEP TWICE



STEP 27 - ROOF SUPPORT ASSEMBLY






STEP 28 - ROOF SUPPORT ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
6	H100385	SCREW PFH 8x1 BLK





RAFTER ASSEMBLY FROM PREVIOUS STEP



STEP 29 - 12FT ROOF PANEL ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
4	H100398	TNUT-1/4" BLK
4	H100171	BOLT WH 1/4x1 BLK









INSERT T-NUTS FIRST HAND TIGHTEN ONLY









STEP 32 - 12FT ROOF PANEL ASSEMBLY

QTYPART NUMBERDESCRIPTION12H101030SCREW CONFIRMAT 7x2 BLK






STEP 33 - 12FT ROOF PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100382	SCREW PFH 8x1 3/4 BLK

TIPS:

- USING THE Q02 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H10 BOARD USING THE DIMENSION BELOW.
 - REPEAT ON OPPOSITE END USING Q01 AS A GUIDE TO DRILL PILOT HOLES INTO THE H06 BOARD.




STEP 34 - 12FT ROOF PANEL ASSEMBLY


TIP: LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED.

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.


ONCE SQUARE, TIGHTEN ALL HARDWARE FROM PREVIOUS STEPS







TIPS:

- ALIGN PURLIN PILOT HOLES WITH RAFTER PILOT HOLES.
- ATTACH SCREWS FROM THE CENTER AND WORK OUTWARD.
- H09/H10 & H06/H07 BOARDS DO NOT HAVE PILOT HOLES FOR OUTSIDE EDGE SCREWS.
- USING THE PURLINS AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO H09/H10 & H06/H07 BOARDS.








STEP 38 - 12FT ROOF PANEL ASSEMBLY


QTYPART NUMBERDESCRIPTION32H100833SCREW WOODGRIP 10-16x3/4




REPEAT 12FT ROOF PANEL ASSEMBLY STEPS 29 THROUGH 38.

STEP 39 - LEFT PANEL ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
2	H100171	BOLT WH 1/4x1 BLK
2	H100398	TNUT-1/4" BLK






STEP 40 - LEFT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100398	TNUT-1/4" BLK
12	H100385	SCREW PFH 8x1 BLK





A4M01237 ROOF SUPPORT SPLICE CLIP (x1)




STEP 41 - LEFT PANEL ASSEMBLY

QTY PART NUMBER		DESCRIPTION
2	H100171	BOLT WH 1/4x1 BLK





H18/H19 RAFTER ASSEMBLY FROM PREVIOUS STEP



STEP 42 - LEFT PANEL ASSEMBLY


QTYPART NUMBERDESCRIPTION6H101030SCREW CONFIRMAT 7x2 BLK






STEP 43 - LEFT PANEL ASSEMBLY


QTYPART NUMBERDESCRIPTION6H101030SCREW CONFIRMAT 7x2 BLK






STEP 44 - LEFT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
12	H101030	SCREW CONFIRMAT 7x2 BLK






STEP 45 - LEFT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100382	SCREW PFH 8x1 3/4 BLK

TIPS:

- USING THE Q03 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H18 BOARD USING THE DIMENSION BELOW.




STEP 46 - LEFT PANEL ASSEMBLY

TIP: LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED.

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.


ONCE SQUARE, TIGHTEN ALL HARDWARE FROM PREVIOUS STEPS



PART NUMBER **DESCRIPTION** STEP 47 - LEFT PANEL ASSEMBLY 26 H100391 SCREW PFH 8x2 BLK H24 PURLIN - W4L17560 H23 **PURLIN - W4L17559** 15/16"x3 3/8"x20 9/16" (24x86x522) (x1)(x1)15/16"x3 3/8"x78 3/8" (24x86x1991) H21 **PURLIN - W4L17557** H22 PURLIN - W4L17558 (x1)15/16"x3 3/8"x72 1/4" (24x86x1835) (x1) 15/16"x3 3/8"x38 13/16" (24x86x986) TIPS: - ALIGN PURLIN PILOT HOLES WITH RAFTER PILOT HOLES. - ATTACH SCREWS FROM THE CENTER AND WORK OUTWARD. - H18 BOARD DOES NOT HAVE PILOT HOLES FOR OUTSIDE EDGE SCREWS. **OVERHANG END OF** - USING THE PURLINS AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES **PURLIN 3/8" FROM** INTO H18 BOARD. **EDGE OF RAFTER** 391 (x26) SCREW - 2" 3/8" [10mm] OUTSIDE EDGE_ **SCREWS** (4) (47) 4 5/8" [15mm] H24 (x1) PURLIN IF PURLINS **OVERHANG MORE THAN 5/8", CUT DOWN TO 5/8"** H23 (x1) PURLIN H22 (x1) **PURLIN** H18 RAFTER H21 (x1)


PURLIN

65




STEP 49 - LEFT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
3	H100833	SCREW WOODGRIP 10-16x3/4




TIPS:

- REMOVE PROTECTIVE BLUE FILM.
- POSITION RIDGE CAP CHANNEL FLUSH WITH ENDS OF PURLINS WITH THE WIDER SIDE OF THE CHANNEL ON THE BOTTOM.
- MAKE SURE THE BOTTOM EDGE IS AT THE DISTANCE SHOWN BELOW.



STEP 50 - LEFT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
23	H100833	SCREW WOODGRIP 10-16x3/4



TIPS:


- REMOVE PROTECTIVE BLUE FILM.

- OVERLAP PANELS BY ONE RIDGE.

- PANELS SHOULD BE FLUSH WITH PURLIN ENDS AND Q03 ROOF FASCIA.


- ONCE SHEETING IS IN PLACE, IT IS RECOMMENDED TO ADD H100833 SCREWS IN THE MIDDLE OF THE SHEETS TO HOLD SHEETING FOR THE NEXT STEP.


WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES



STEP 51 - LEFT PANEL ASSEMBLY


QTYPART NUMBERDESCRIPTION5H100833SCREW WOODGRIP 10-16x3/4





STEP 52 - LEFT PANEL ASSEMBLY


QTYPART NUMBERDESCRIPTION39H100833SCREW WOODGRIP 10-16x3/4




REPEAT LEFT PANEL ASSEMBLY STEPS 39 THROUGH 52.

STEP 53 - RIGHT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100171	BOLT WH 1/4x1 BLK
2	H100398	TNUT-1/4" BLK





STEP 54 - RIGHT PANEL ASSEMBLY

Q	ΓΥ	PART NUMBER	DESCRIPTION
2		H100398	TNUT-1/4" BLK
12		H100385	SCREW PFH 8x1 BLK

H28 RAFTER - W4L17568 (x1) 15/16"x3 3/8"x44 1/2" (24x86x1130)




(x1)

A4M01237 ROOF SUPPORT SPLICE CLIP



H29 RAFTER - W4L17569 (x1) 15/16"x3 3/8"x60 5/8" (24x86x1540)




STEP 55 - RIGHT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100171	BOLT WH 1/4x1 BLK





H28/H29 RAFTER ASSEMBLY FROM PREVIOUS STEP



STEP 56 - RIGHT PANEL ASSEMBLY

QTYPART NUMBERDESCRIPTION6H101030SCREW CONFIRMAT 7x2 BLK






STEP 57 - RIGHT PANEL ASSEMBLY

QTYPART NUMBERDESCRIPTION6H101030SCREW CONFIRMAT 7x2 BLK

E12 RAFTER - W4L17565 E13 RAFTER - W4L17566 (x1) 3 3/8"x1 7/16"x20 3/16" (36x86x512) (x1) 1 7/16"x3 3/8"x43 5/8" (36x86x1109)

E14 RAFTER - W4L17567 (x1) 1 7/16"x3 3/8"x67 1/8" (36x86x1705)




STEP 58 - RIGHT PANEL ASSEMBLY

QTYPART NUMBERDESCRIPTION12H101030SCREW CONFIRMAT 7x2 BLK



Q04 FASCIA - W4L17556 (x1) 15/16"x4 7/16"x57 1/4" (24x112x1454)




STEP 59 - RIGHT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100382	SCREW PFH 8x1 3/4 BLK

TIPS:

- USING THE Q03 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H28 BOARD USING THE DIMENSION BELOW.




STEP 60 - RIGHT PANEL ASSEMBLY

TIP: LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED.

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.


ONCE SQUARE, TIGHTEN ALL HARDWARE FROM PREVIOUS STEPS




STEP 61 - RIGHT PANEL ASSEMBLY

QTYPART NUMBERDESCRIPTION26H100391SCREW PFH 8x2 BLK

<u>/. · </u>			:		•			
		H23 (x1)	PURLIN - W4L17559 15/16"x3 3/8"x78 3/8"	(24x86x1991)		H24 (x1)	PURLIN - W4L17560 15/16"x3 3/8"x20 9/16" (24x86	6x522)
<u>/·</u>	:		*	÷ .		*		
		H21 (x1)	PURLIN - W4L17557 15/16"x3 3/8"x72 1/4"	(24x86x1835)		H22 (x1)	PURLIN - W4L17558 15/16"x3 3/8"x38 13/16" (24x8	36x986)




80



STEP 63 - RIGHT PANEL ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
3	H100833	SCREW WOODGRIP 10-16x3/4



TIPS:

- REMOVE PROTECTIVE BLUE FILM.
- POSITION RIDGE CAP CHANNEL FLUSH WITH ENDS OF PURLINS WITH THE WIDER SIDE OF THE CHANNEL ON THE BOTTOM.

 - MAKE SURE THE BOTTOM EDGE IS AT THE DISTANCE SHOWN BELOW.



PART NUMBER **DESCRIPTION** STEP 64 - RIGHT PANEL ASSEMBLY 23 H100833 SCREW WOODGRIP 10-16x3/4 A4M01899 29GA STEEL A4M01240 29GA STEEL A4M01354-1 29GA STEEL A4M01355-1 29GA STEEL A4M01356-1 29GA STEEL SHEETING SHEETING (x1)(x1)SHEETING (x1)SHEETING (x1)SHEETING (x1)TIPS: WARNING: GLOVES ARE RECOMMENDED - REMOVE PROTECTIVE BLUE FILM. WHEN HANDLING STEEL ROOF PIECES - OVERLAP SHEETING BY ONE RIDGE. - SHEETING SHOULD BE FLUSH WITH PURLIN ENDS AND Q03 ROOF FASCIA. - ONCE SHEETING IS IN PLACE, IT IS RECOMMENDED TO ADD H100833 SCREWS IN THE MIDDLE OF THE SHEETS TO HOLD SHEETING FOR THE NEXT STEP. 833 (x23) SCREW - 3/4" OVERLAP SHEETING BY ONE RIDGE **PURLIN** START FROM THE LEFT, AND PLACE ROOF SHEETING AS SHOWN. Q03-SHEETING TO **BE FLUSH** 1899 (x1) 29GA STEEL SHEETING 1240 (x1) 29GA STEEL **SHEETING** 1354-1 (x1) 29GA STEÉL SHEETING 1355-1 (x1)

29GA STEEL

SHEETING

83


1356-1 (x1)


SHEETING

29GA STEÉL

STEP 65 - RIGHT PANEL ASSEMBLY

QT	PART NUMBER	DESCRIPTION
5	H100833	SCREW WOODGRIP 10-16x3/4






STEP 66 - RIGHT PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
39	H100833	SCREW WOODGRIP 10-16x3/4

TIPS:

- INSERT REMAINING SCREWS TO FASTEN SHEET METAL IN PLACE.
 MAKE SURE SHEET EDGES ARE FLUSH AS SHOWN.




REPEAT RIGHT PANEL ASSEMBLY STEPS 53 THROUGH 66.

STEP 67 - 12FT ROOF PANEL ATTACHMENT

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




STEP 68 - 12FT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100378	BOLT WH 5/16x1 3/4 BLK
2	H100198	WASHER LOCK EXT 8x19

TIPS:

- IF NECESSARY, USE A CLAMP TO HOLD PANELS IN PLACE.
 INSERT BOLTS INTO THE SECOND HOLE FROM THE TOP OF THE H07/H09 BOARDS.

HAND TIGHTEN ONLY



REPEAT 12FT ROOF PANEL INSTALLATION STEPS 67 & 68


STEP 69 - LEFT ROOF PANEL ATTACHMENT

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES

CRITICAL: MAKE SURE T-NUTS FROM STEP 18 AND 26 ARE INSTALLED IN THE ROOF SUPPORT ASSEMBLY AND H05 RAFTER.




STEP 70 - LEFT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100195	BOLT WH 5/16x2 3/4 BLK
2	H100205	BOLT WH 5/16x2 1/4 BLK
4	H100198	WASHER LOCK EXT 8x19

TIPS:

- IF NECESSARY, USE A CLAMP TO HOLD PANELS IN PLACE.

HAND TIGHTEN ONLY



STEP 71 - LEFT ROOF PANEL ATTACHMENT


TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES

CRITICAL: MAKE SURE T-NUTS FROM STEP 18 AND 26 ARE INSTALLED IN THE ROOF SUPPORT ASSEMBLY

AND H05 RAFTER.




STEP 72 - LEFT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100205	BOLT WH 5/16x2 1/4 BLK
2	H100195	BOLT WH 5/16x2 3/4 BLK
4	H100198	WASHER LOCK EXT 8x19

TIPS:

- IF NECESSARY, USE A CLAMP TO HOLD PANELS IN PLACE.

HAND TIGHTEN ONLY




STEP 73 - RIGHT ROOF PANEL ATTACHMENT

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES

CRITICAL:
MAKE SURE T-NUTS FROM STEP 18 AND 26 ARE
INSTALLED IN THE ROOF SUPPORT.




STEP 74 - RIGHT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
3	H100480	BOLT WH 5/16x4 3/4 BLK
3	H100198	WASHER LOCK EXT 8x19
3	H100770	WASHER FLAT 5/16 BLK
3	H100479	NUT LOCK 5/16 BLK

TIPS:

- IF NECESSARY, USE A CLAMP TO HOLD PANELS IN PLACE.




STEP 75 - RIGHT ROOF PANEL ATTACHMENT

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES

CRITICAL: MAKE SURE T-NUTS FROM STEP 18 AND 26 ARE INSTALLED IN THE ROOF SUPPORT.





STEP 76 - RIGHT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
3	H100480	BOLT WH 5/16x4 3/4 BLK
3	H100198	WASHER LOCK EXT 8x19
3	H100479	NUT LOCK 5/16 BLK
3	H100770	WASHER FLAT 5/16 BLK

TIPS:

- IF NECESSARY, USE A CLAMP TO HOLD PANELS IN PLACE.





STEP 78 - ROOF PANEL ATTACHMENT

 QTY
 PART NUMBER
 DESCRIPTION


 6
 H100534
 BOLT WH 5/16x4 1/2 BLK

 6
 H100198
 WASHER LOCK EXT 8x19

 6
 H100770
 WASHER FLAT 5/16 BLK

 6
 H100479
 NUT LOCK 5/16 BLK


ATTACH PANEL HARDWARE TO CONNECT LEFT AND RIGHT PANEL TO MIDDLE RAFTER.



STEP 79 - ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
4	H100479	NUT LOCK 5/16 BLK
4	H100770	WASHER FLAT 5/16 BLK
4	H100503	BOLT WH 5/16x3 1/2 BLK
4	H100478	WASHER FLAT 8x27 BLK


E17 COLLAR TIE - W4L17573 (x2) 1 3/8"x3 3/8"x71 5/8" (36x86x1820)



STEP 80 - ROOF PANEL ATTACHMENT


QTY	PART NUMBER	DESCRIPTION
4	H100503	BOLT WH 5/16x3 1/2 BLK
4	H100478	WASHER FLAT 8x27 BLK
4	H100770	WASHER FLAT 5/16 BLK
4	H100479	NUT LOCK 5/16 BLK

E17 COLLAR TIE - W4L17573 (x2) 1 3/8"x3 3/8"x71 5/8" (36x86x1820)



STEP 81 - ROOF PANEL ATTACHMENT

TIGHTEN ALL THE HARDWARE IN THE ORDER SHOWN BELOW. START AT THE TOP AND WORK YOUR WAY DOWN.




STEP 82 - ROOF ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
20	H100653	NUT LOCK 1/4 BLK
20	H100488	BOLT WH 1/4x2 BLK
20	H100630	WASHER FLAT 8x19 BLK
40	H100536	SCREW PWH 8x1 1/4 BLK





RAFTER CLIP - A4M01228 (x20) 1/16"x4 1/8"x4 7/16" (1.5x104x4 7/16")



STEP 83 - ROOF ASSEMBLY


QTYPART NUMBERDESCRIPTION16H100392SCREW PWH 8x3/4 BLK






STEP 84 - ROOF ASSEMBLY

QTYPART NUMBERDESCRIPTION8H100392SCREW PWH 8x3/4 BLK






105

STEP 85 - ROOF TRIM

QTY	PART NUMBER	DESCRIPTION
32	H100759	SCREW SELF TAPPING 1/4x1










REPEAT ON OPPOSITE SIDE


TIPS:


- START ON THE LEFT SIDE OF A 20FT PANEL.
 SLIDE EDGE TRIM PIECES TOGETHER AS SHOWN BELOW.
 MAKE SURE ALL PANELS ARE CHICAGO.
- INSTALL H100759 SCREWS AS SHOWN.



STEP 86 - ROOF TRIM

QTY	PART NUMBER	DESCRIPTION
20	H100759	SCREW SELF TAPPING 1/4x1






TIPS:

- BEGIN ON THE LEFT OF THE 12FT SIDE


- SLIDE EDGE TRIM PIECES TOGETHER AS SHOWN BELOW.


- MAKE SURE ALL PANELS ARE COVERED BEFORE INSTALLING SCREWS.
- INSTALL H100759 SCREWS AS SHOWN.







STEP 87 - ROOF TRIM





STEP 88 - ROOF TRIM







STEP 89 - ROOF TRIM


QTY	PART NUMBER	DESCRIPTION
12	H100759	SCREW SELF TAPPING 1/4x1

REPEAT ON ALL FOUR CORNERS






- TIPS:
 SLIDE EDGE TRIM ONTO ROOF RIDGE CAP CHANNEL AS SHOWN.
 DO NOT PUSH ALL THE WAY TO THE TOP. FLUSH WITH EDGE OF GAZEBO.



STEP 91 - ROOF TRIM

QTY	PART NUMBER	DESCRIPTION
2	H100759	SCREW SELF TAPPING 1/4x1





STEP 92 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
48	H100471	LAG SCREW WH 5/16x1 1/2 BLK




A4M01793 POST ANCHORING PLATE (x12)



A4M01794 POST PLATE (x12)


USE PILOT HOLES IN POSTS TO ATTACH POST PLATES.



STEP 93 - GAZEBO ASSEMBLY


QTYPART NUMBERDESCRIPTION2H100200SCREW PFH 8x1 1/2 BLK






STEP 94 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
24	H100120	CONCRETE ANCHOR 1/4"x2"
24	H100630	WASHER FLAT 8x19 BLK



PowerPort™



FOR POWERPORT INSTALLATION REFER TO ASSEMBLY INSTRUCTIONS THAT COME PACKAGED WITH THE POWERPORT KIT. INSTALL ON ANY POST THAT IS DESIRED. FOLLOW DIRECTIONS FOR PROPER INSTALLATION.